

Product Identification

Product Name: BGC Water Resistant Taping Cement

Manufacturers Code: 1791, 1792

Use: A water based synthetic polymer adhesive used for water proofing wet areas, such as bathrooms and kitchens before final installations

Statement of Hazardous Nature

This product has been assessed by BGC (Australia) Pty.Ltd. according to the criteria of the National Occupational Health and Safety Commission (NOHSC): 1008(1999) and NOHSC: 10005(1999). As a result of this assessment this product is classified as non hazardous according to the NOHSC criteria.

Transport Information

Not classified as hazardous. Transport in original container.

UN Number: None allocated

Dangerous goods class & Subsidiary risk: None allocated

Hazchem code: None allocated

Poisons schedule number: Not scheduled

Important Notice:

This Material Safety Data Sheet (MSDS) is issued by the Supplier in accordance with National Occupational Health and Safety Commission (NOHSC) guidelines. As such, the information in it must not be altered, deleted or added to. The supplier will issue a new MSDS when there is a change in product specifications and/or NOHSC guidelines/regulations. The supplier will not accept any responsibility for any changes made to its MSDS by any other person or organisation.

Issue Date: May 2013

Company Name: BGC (Australia) Pty Ltd

Address: PO BOX 1994, Midland DC, WA 6936

Telephone: +61 8 9374 2900

Facsimile: +61 8 9374 2901

ABN: 62 005 736 005 020

Composition / Information on Ingredients

Ingredient Name:	Proportion:	Hazard Symbol	Risk Phrase:
Synthetic Polymer	20-60%	-	-
Emulsion	-	-	-
Biocide	1-2%	-	-

Hazards Identification

BGC Water Resistant Taping Cement is not classified as hazardous.

Ingestion: Ingestion may cause nausea and vomiting.

Skin: Repeated or prolonged skin contact may cause irritation

Eye: Can cause soreness. A mild eye irritation.

First Aid Measures

Inhalation: Move to fresh air. Seek medical attention if effects persist.

Ingestion: Rinse mouth thoroughly with water. Give plenty of water, do not induce vomiting. Seek medical attention.

Skin: Wash off skin with warm soapy water.

Eye: Immediately irrigate with copious quantity of water for at least 15 minutes. Hold eye lids open. Seek medical attention.

Advice to Doctor: Treat symptomatically.

Fire Fighting Measures

Specific Hazards: Only the dried residue may burn in the presence of an ignition source.

Flammability: Non flammable in paste form.

Accidental Release Measures

Spills & Disposal: Scrape up spills into waste container and allow to harden. Prevent contamination of waterways.

Handling and Storage

Storage: Store in a cool area out of direct sunlight.

Exposure Controls / Personal Protection

Eye Protection: Use safety glasses, especially when applying to ceilings.

Hand Protection: Use rubber gloves to avoid skin contact.

Eng. Controls: Use with adequate ventilation.

Physical and Chemical Properties

Appearance: Thick non-flowable paste.

Melting Point: Not applicable.

Boiling Point: Not applicable.

Solubility in water: Completely dispersable.

Specific Gravity (H₂O=1): 1.40-1.60

pH Value: Typically 7.0-8.0

Vapour Pressure: Not applicable.

Physical State: Semi-solid paste.

Viscosity: Brookfield Viscometer, RVT, Helipath: 650, 0000-1,400,000 cps @ 25°deg c.

Colour: Pale green

Flammability: Non flammable in paste form.

Stability and Reactivity

This product is stable when stored under normal storage conditions.

Store away from incompatible materials.

Toxicological Information

Ingestion: Ingestion may cause nausea and vomiting.

Skin: Repeated or prolonged skin contact may cause irritation.

Eye: Can cause soreness. A mild eye irritant.

Ecological Information

Avoid contaminating drains and waterways.

Disposal Considerations

Dispose of according to local government regulations.

Transport Information

Not classified as hazardous. Transport in original container.

Storage and Transport: Not classified as dangerous.

Regulatory Information

Poisons Schedule: Not scheduled.

End of Material Safety Data Sheet

Disclaimer

The information presented herein is based on data considered to be accurate as of the date of preparation of this Material Safety Data Sheet. However, no warranty or representation, express or implied, is made as to the accuracy or completeness of the foregoing data and safety information, nor is any authorisation given or implied to practice any patented invention without a license. In addition, no responsibility can be assumed by the vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.